

Product

Swan compression molded products

Manufacturer

The Swan Corporation is headquartered in St. Louis, Missouri, USA with manufacturing facilities in Centralia, Illinois USA.

Product Composition

Veritek is a compression molded material with no surface coating to chip or crack. It's a non-porous material that will not mold or mildew.

Product Category

Veritek is available in bathtubs, bath and shower walls, shower floors, and utility sinks and basins.

Colors

Veritek is available in a variety of solid colors and aggregate patterns.

Solids: White, Bisque, Bone

Aggregate: Tahiti Sand, Bermuda Sand, Gray Granite

Warranties

Swan Veritek wall panels, bathtubs, and shower floors are covered by a limited lifetime warranty for residential applications. Swan Veritek utility sinks and basins are covered by a limited 1 year warranty for residential applications.

For commercial applications, Swan offers the following warranties:
5 year Limited Warranty on bathtubs, bath and shower walls, and shower floors.
1 year Limited Warranty on utility sinks and basins.
Complete details on these warranties are available on our website: swanstone.com.

Maintenance

The Veritek finish is stain and abrasion resistant; however, the finish requires reasonable care. Wash regularly with warm water; use soft cloth with mild detergent such as Top Job, Ajax Liquid Cleaner, Mr. Clean All Purpose Cleaner, or Glass Plus.
Remove hard water stains or mineral build up with scale removers such as Lime-Away. Never use abrasive scouring powders, cleansers, or pads. They will dull the finish.
Protect finish with any fiberglass wax or automotive paste wax.

Application

Any interior for bath and shower walls, bathtubs, shower floors, and utility sinks or basins.

Limitations

Veritek products are not recommended for exterior use. Follow all recommended installation procedures provided by the manufacturer.

Finish

Natural-gloss

Cost

Cost varies with product category. Contact your local distributor for applicable costs.

Installation

Swan Veritek products are shipped with complete installation manuals provided with every unit. Consult the specific product installation manual for step-by-step installation procedures. All manuals are available through The Swan Corporation or your local distributor.

Property	Typical Result	Test
Impact Resistance on wall surrounds	No cracks (10 lbs. dropped 48" on unit)	ANSI-Z124.1.2
Loads on Wall Surrounds	No cracks 25 lbs. for 1 minute repeated at 2 minute intervals	ANSI-Z124.1.2
Izod Impact Method A (with notch) Method E (rev. notch)		ASTM D256
Stain Resistance	Passes	ANSI-Z124.1.2
Cigarette Resistance	Passes	ANSI-Z124.1.2
Boiling Water Resistance	Passes	ANSI-Z124.1.2
Chemical Resistance	Passes	ANSI-Z124.1.2
High Temperature Resistance		NEMA LD3
Color Stability	Passes	ASTM D2565
Thermal Conductivity		ASTM D3-3.08
Tensile Strength		ASTM 638
Tensile Modules		ASTM D-638
Elongation		ASTM D-638
Hardness		ASTM D-785
Bacterial Resistance		ASTM G-22
Wear and Cleanability	Passes	ANSI-Z124.1.2
Flexural Strength		ASTM D-790
Flexural Modules		ASTM D-638
Thermal Expansion		ASTM D-696
Gloss (60°)		NEMA LD3
Water Absorption		ASMM D-570
Specific Gravity		N/A
FLAMMABILITY		
Ignition Test	Passes	ANSI-Z124.1.2
Flame Spread	Class I	ASTM E84

Technical Services

Please call (800) 325-7008 or email us at infomail@swanstone.com. Visit our website www.swanstone.com for details including two dimensional AutoCAD drawings.

